

L Number	Hits	Search Text	DB	Time stamp
43	56	((messag\$5) near5 (server proxy gateway)) and (select\$5 choos\$5 prefer\$5 determin\$5) near10 (message prompt code greeting) near10 (attach\$5 append\$5 enclos\$5) near10 ((voice audio email) adj (message mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 07:47
-	0	(multimedia adj server) and (call adj server) and (message adj server) and (PBX) and (web adj server) and (proxy adj server) and (UNISTIM) and (XML) and (HTML) and ((prerecorded presepecified predetermined) near5 (message mail voicemail signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:56
-	0	(multimedia adj server) and (call adj server) and (message adj server) and (PBX) and (web adj server) and (proxy adj server) and (UNISTIM) and (XML) and (HTML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 16:55
-	0	(multimedia adj server) and (call adj server) and (message adj server) and (PBX) and (web adj server) and (proxy adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 16:56
-	2	(multimedia adj server) and (call adj server) and (message adj server) and (PBX)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:00
-	2	(multimedia adj server) and (call adj server) and (message adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:00
-	58	(call adj server) and (message adj server) and (PBX)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:00
-	0	(call adj server) and (message adj server) and (PBX) and (web adj server) and (proxy adj server) and (UNISTIM) and (XML) and (HTML) and ((prerecorded presepecified predetermined) near5 (message mail voicemail signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:00
-	0	(call adj server) and (message adj server) and (PBX) and (web adj server) and (proxy adj server) and (UNISTIM) and ((prerecorded presepecified predetermined) near5 (message mail voicemail signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:01
-	297916	((prerecorded presepecified predetermined) near5 (message mail voicemail signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:57
-	298216	((prerecorded prespecified predetermined) near5 (message mail voicemail signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:01
-	2	(multimedia adj server) and (call adj server) and (message adj server) and (PBX) and ((prerecorded presepecified predetermined) near5 (message mail voicemail signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:02
-	2	(multimedia adj server) and (call adj server) and (message adj server) and (PBX) and ((prerecorded prespecified predetermined) near5 (message mail voicemail signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 17:03

-	8	(call adj server) and (message adj server) and (PBX) and ((prerecorded prespecified predetermined) near5 (message mail voicemail signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/05 17:03
-	2247	709/206,207.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 10:31
-	1299	709/206,207.ccls. and ((messaging message route) near10 (server manager))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:34
-	446	709/206,207.ccls. and ((prespecified predefined predetermined) near5 message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:41
-	12	Form adj route adj manager	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 10:34
-	339	(709/206,207.ccls. and ((messaging message route) near10 (server manager))) and (709/206,207.ccls. and ((prespecified predefined predetermined) near5 message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 10:58
-	1	(10/616100) and (cook)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 11:55
-	0	09/645832) AND(aDLER	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 11:56
-	0	(09/645832)and (Adler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 11:56
-	2	6157630.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 11:57
-	1	6157630.pn. and ((709/206,207.ccls. and ((messaging message route) near10 (server manager))) and (709/206,207.ccls. and ((prespecified predefined predetermined) near5 message)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 11:57
-	33	709/206,207.ccls. and ((prespecified predefined) adj2 message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 13:01
-	862	709/206,207.ccls. and ((messaging message route) near2 (server manager))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 13:01
-	827	709/206,207.ccls. and ((messaging message) near2 (server manager))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:21

-	23	(709/206,207.ccls. and ((messaging message) near2 (server manager))) and (709/206,207.ccls. and ((prespecified predefined) adj2 message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 13:02
-	818	((messaging message) near2 (server manager)) same (prompt\$5 ask\$5 presepccified predesigned)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:23
-	265	((messaging message) adj (server manager)) same (prompt\$5 ask\$5 presepccified predesigned)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:23
-	70	((messaging message) adj (server manager)) near10 (prompt\$5 ask\$5 presepccified predesigned)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:23
-	387	709/206,207.ccls. and ((messaging message) adj (server manager))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:35
-	0	709/206,207.ccls. and (((messaging message) adj (server manager)) same (prespecified prerecorded))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:36
-	0	709/206,207.ccls. and (((messaging message) adj (server manager)) near5 (prespecified prerecorded))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:36
-	13	709/206,207.ccls. and (((messaging message) adj (server manager)) and (prespecified prerecorded))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:36
-	3	prespecified adj message	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:41
-	2	6678720.pn.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 09:18
-	2	6385306.pn.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 09:18
-	31361	(messag\$5) near5 (server proxy gateway)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/28 17:07
-	7697	(messag\$5)adj (server proxy gateway)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/28 14:56
-	1231	((messag\$5)adj (server proxy gateway)) and ((prerecorded presepccified predetermined preprogrammed) near5 (message mail voicemail signal))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/28 15:49

-	193	((messag\$5)adj (server proxy gateway)) and ((prerecorded presepecified predetermined preprogrammed) adj (message mail voicemail signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 17:07
-	185	((messag\$5)adj (server proxy gateway)) and ((prerecorded presepecified predetermined preprogrammed) adj (message mail voicemail signal))) and (append\$5 attach\$5 stick\$5 provid\$5 supply\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:01
-	140	((messag\$5)adj (server proxy gateway)) and ((prerecorded presepecified predetermined preprogrammed) adj (message mail voicemail signal))) and (append\$5 attach\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:01
-	114	((messag\$5)adj (server proxy gateway)) and ((prerecorded presepecified predetermined preprogrammed) adj (message mail voicemail signal))) and (append\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:01
-	87	((messag\$5)adj (server proxy gateway)) and ((prerecorded prespecified preprogrammed) near5 (message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:51
-	2	6157630.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:51
-	0	((messag\$5)adj (server proxy gateway)) and (select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (message) near10 (attach\$5 append\$5 enclos\$5) near10 ((voice audio email) adj (message mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:54
-	0	((messag\$5) near5 (server proxy gateway)) and (select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (message) near10 (attach\$5 append\$5 enclos\$5) near10 ((voice audio email) adj (message mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 07:33
-	0	(select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (message) near10 (attach\$5 append\$5 enclos\$5) near10 ((voice audio email) adj (message mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:56
-	0	(select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (greet\$5) near10 (attach\$5 append\$5 enclos\$5) near10 ((voice audio email) adj (message mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 17:06
-	0	(select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (prompt\$5) near10 (attach\$5 append\$5 enclos\$5) near10 ((voice audio email) adj (message mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:56
-	0	(select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (prompt\$5) near10 (attach\$5 append\$5 enclos\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:56
-	2	(select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (message) near10 (attach\$5 append\$5 enclos\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:57
-	0	(select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (greet\$5) near10 (attach\$5 append\$5 enclos\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:57

-	1	(select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (record\$5) near10 (attach\$5 append\$5 enclos\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/28 16:58
-	0	(select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (manu) near10 (attach\$5 append\$5 enclos\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/28 16:58
-	0	(select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (command) near10 (attach\$5 append\$5 enclos\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/28 16:58
-	0	709/\$.ccls. and (select\$5 choos\$5 prefer\$5 determin\$5) near5 (prerecorded presepecified preprogrammed) near5 (greet\$5) near10 (attach\$5 append\$5 enclos\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/28 17:07
-	7919	709/\$.ccls.and (messag\$5) near5 (server proxy gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/28 17:07
-	168	(709/\$.ccls.and (messag\$5) near5 (server proxy gateway)) and (prerecorded presepecified predetermined preprogrammed) adj (message code greeting prompt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/28 17:08